

Rejuvenite A

SECTION 1. IDENTIFICATION

Product Identifier Rejuvenite A
Other Means of Identification Rejuvenite, Rej 700, Rejuvenite A
Recommended Use Softening Agent for Asphalt Reclaiming.
Restrictions on Use None known.
Manufacturer/Supplier Identifier McAsphalt Industries Ltd, 8800 Sheppard Ave East, Toronto, Ontario, M1B 5R4
Emergency Phone No. CANUTEC, (613) 996 - 6666, 24 hours
 McAsphalt Industries Ltd., 1 - (800) - 268 - 4238, 8AM-5PM Monday to Friday

SECTION 2. HAZARD IDENTIFICATION

Classification

Carcinogenicity - Category 1B; Reproductive toxicity - Category 2; Specific target organ toxicity (repeated exposure) - Category 2

Label Elements



Danger
 May cause cancer.
 Suspected of damaging fertility.
 May cause damage to organs through prolonged or repeated exposure.

Other Hazards

Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Mineral oil, petroleum extracts, heavy paraffinic distillate solvent	64742-04-7	40-70		
Water	7732-18-5	15-40		
Emulsifier	61790-12-3, 8050-09-7	1-5		
Styrene-butadiene copolymers	9003-55-8	0-6		

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Product Identifier: Rejuvenite A - Ver. 1
 Date of Preparation: October 11, 2018
 Date of Last Revision: June 11, 2020

SDS No.: 0152

Page 01 of 07

Inhalation

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

Skin Contact

Rinse with lukewarm, gently flowing water for 5 minutes. Get medical advice or attention if you feel unwell or are concerned.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Get medical attention immediately.

Ingestion

Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

First-aid Comments

If exposed or concerned, get medical advice or attention.

Most Important Symptoms and Effects, Acute and Delayed

If swallowed:

Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Immediate Medical Attention and Special Treatment**Special Instructions**

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SECTION 5. FIRE-FIGHTING MEASURES**Extinguishing Media****Suitable Extinguishing Media**

Large fire: Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

Flammability of the product: Will burn on prolonged exposure to flame or high temperature. Carbon oxides (CO, CO₂), smoke and irritating vapours as products of incomplete combustion.

Special Protective Equipment and Precautions for Fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment, and Emergency Procedures**

Do not touch or walk through spilled material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental Precautions

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and Materials for Containment and Cleaning Up

Note: see section 1 for emergency contact information.

Other Information

Contact supplier, local fire and emergency services for help. Report spills to local health, safety and environmental

Product Identifier: Rejuvenite A - Ver. 1

SDS No.: 0152

Date of Preparation: October 11, 2018

Date of Last Revision: June 11, 2020

Page 02 of 07

authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Do NOT smoke in work areas. Do NOT eat, drink or store food in work areas. Remove contaminated clothing and protective equipment before entering eating areas or leaving work area. Wash hands thoroughly after handling this product and before eating, using the washroom or leaving work area. Properly dispose of any contaminated items, including shoes, that cannot be decontaminated. DO NOT re-use. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials(see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Styrene-butadiene copolymers	3 mg/m ³ (R)					
Mineral oil, petroleum extracts, heavy paraffinic distillate solvent	5 mg/m ³					

Appropriate Engineering Controls

If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual Protection Measures

Eye/Face Protection

If a risk assessment indicates that it is necessary to avoid exposure to liquid splashes, mists or dusts, then safety eyewear complying with an approved standard should be used.

Skin Protection

If a risk assessment indicates it is necessary, chemical resistant, imperious gloves complying with an approved standard should be worn when handling chemical products. Suitable materials are; nitrile rubber. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Dark black - brown oily liquid. Particle Size: Not available
Odour	Not available
Odour Threshold	Not available
pH	~ 3 (estimated)
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	100 °C (212 °F) (estimated)
Flash Point	> 200 °C (392 °F) (closed cup)

Product Identifier: Rejuvenite A - Ver. 1

SDS No.: 0152

Date of Preparation: October 11, 2018

Date of Last Revision: June 11, 2020

Page 03 of 07

Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	Not available
Solubility	Insoluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Viscosity	Not available (kinematic)
Other Information	
Physical State	Liquid
Surface Tension	Not available
Electrical Conductivity	Not available
Vapour Pressure at 50 deg C	Not available
Saturated Vapour Concentration	Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Stable under normal storage conditions.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials

Reactive with oxidising agents.

Not corrosive to metals.

Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Ignition and burning can release carbon monoxide, carbon dioxide, noncombustible hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

No known significant effects or critical hazards. See toxicological information (Section 11).

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Mineral oil, petroleum extracts, heavy paraffinic distillate solvent		> 5000 mg/kg (rat)	> 2000 mg/kg (rabbit)
Emulsifier		2500 mg/kg (rat)	
Water		> 89840 mg/kg (rat)	

Skin Corrosion/Irritation

Product Identifier: Rejuvenite A - Ver. 1

SDS No.: 0152

Date of Preparation: October 11, 2018

Date of Last Revision: June 11, 2020

Page 04 of 07

Mild skin irritant. May cause dryness or cracking. Heated material can cause thermal burns.

Serious Eye Damage/Irritation

May cause mild irritation to eyes. Hot liquid product may cause thermal burns.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May be harmful based on information for closely related materials.

Skin Absorption

May be harmful based on information for closely related materials.

Skin to darken.

Ingestion

Harmful based on information for closely related materials.

Severe irritation or burns to the mouth, throat and stomach.

Harmful. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Material in general is not expected to cause harm.

Respiratory and/or Skin Sensitization

Not a respiratory sensitizer.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Emulsifier	Not Listed		Not Listed	Not Listed

Certain process oils have been classified as a cancer hazard, based on skin-painting studies using laboratory animals, involving continuous, long-term contact. IARC: Group 1. Risk of cancer depends on duration and level of exposure.

An IARC working group has concluded that occupational exposures to straight-run bitumens and their emissions during road paving are 'possibly carcinogenic to humans' (Group 2B).

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. A3 = Animal carcinogen. IARC = International Agency for Research on Cancer. Group 2B = Possibly carcinogenic to humans. Group 3 = Not classifiable as to its carcinogenicity to humans. ACGIH® = American Conference of Governmental Industrial Hygienists. A4 = Not classifiable as a human carcinogen.

Reproductive Toxicity

Development of Offspring

No information was located.

Process oils may pose possible risk of harm to the unborn child. May cause increase in fetal deaths, reduced fetal weight and skeletal malformations.

Sexual Function and Fertility

No information was located.

No known significant effects or critical hazards.

Effects on or via Lactation

Not known to cause effects on or via lactation.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

No known significant effects or critical hazards.

Product Identifier: Rejuvenite A - Ver. 1

SDS No.: 0152

Date of Preparation: October 11, 2018

Date of Last Revision: June 11, 2020

Page 05 of 07

Ecotoxicity

Studies were not located.

Persistence and Degradability

Not available.

Mobility in Soil

Studies are not available.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

The generation of waste should be avoided or minimized where ever possible. Significant quantities of waste product residue should not be disposed of via the foul sewer but processed in a suitable effluent treatment plan. Dispose of surplus and non-recyclable and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and sections *: EXPOSURE CONTROL/PERSONAL PROTECTION for additional handling information and protection of employees.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations.

Environmental Hazards Potential Marine Pollutant (FUEL OIL NO. 2)

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

The componets of this product are in compliance with the chemical notification requirements of the NSN Regulation under CEPA, 1999. All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory. The components of this product are in compliance with the chemical notification requirements of TSCA.

SECTION 16. OTHER INFORMATION

NFPA Rating	Health - 1	Flammability - 1	Instability - 0
SDS Prepared By	Engineering and Risk Management Department		
Phone No.	1-800-268-4238		
Date of Preparation	October 11, 2018		
Date of Last Revision	June 11, 2020		
Revision Indicators	June 11 2020 - Chemical Composition updated.		

Product Identifier: Rejuvenite A - Ver. 1

SDS No.: 0152

Date of Preparation: October 11, 2018

Date of Last Revision: June 11, 2020

Page 06 of 07

Key to Abbreviations ACGIH® = American Conference of Governmental Industrial Hygienists
AIHA® = AIHA® Guideline Foundation HSDB® = Hazardous Substances Data Bank
IARC = International Agency for Research on Cancer
NFPA = National Fire Protection Association NIOSH = National Institute for Occupational Safety and Health
NTP = National Toxicology Program
OSHA = US Occupational Safety and Health Administration
RTECS® = Registry of Toxic Effects of Chemical Substances

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).
HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and Safety (CCOHS). NIOSH Pocket Guide database. National Institute for Occupational Safety and Health. Available from Canadian Centre for Occupational Health and Safety (CCOHS).

Product Identifier: Rejuvenite A - Ver. 1
Date of Preparation: October 11, 2018
Date of Last Revision: June 11, 2020

SDS No.: 0152

Page 07 of 07